

KENTUCKY POLLUTANT DISCHARGE ELIMINATION SYSTEM

PERMIT APPLICATION

This is an application to: (check one)	A complete application consists of this form and one of the								
Apply for a new permit.	following:								
Apply for reissuance of expiring permit.	Form A, Form B, Form C, Form F, or Short Form C								
Apply for a construction permit.									
☐ Modify an existing permit.	For additional information contact:								
Give reason for modification under Item II.A.	KPDES Branch (502) 564-3410								
	AGENCY DISCOLLINE								
I. FACILITY LOCATION AND CONTACT INFORMATION	USE 0090654								
A. Name of business, municipality, company, etc. requesting permit									
L'MY of TARIS									
B. Facility Name and Location	C. Facility Owner/Mailing Address								
Facility Location Name:	Owner Name:								
PARIS WASTE WATER TREATMENT - PLANT	City of Yanis								
Facility Location Address (i.e. street, road, etc.):	Mailing Street:								
6500 Bypass Rd,	525 HIGH Street								
Facility Location City, State, Zip Code:	Mailing City, State, Zip Code:								
L'ARIS Ky 20361	Paris Ku 40361								
L 174113, 14 70361	Telephone Number:								
	(
II. FACILITY DESCRIPTION									
A. Provide a brief description of activities, products, etc. Trans Screening, UXIDATION Ditches, Clarification dechlorination, bell filler press for Studge of	ent of residented and INDUSTRIAL WASTE								
Screening, OXIDATION DITCHES, CLARIFICATION	Scientified Children 400								
dechloringtion, bett filter press for Sludge d	is posal to [Andtill								
B. Standard Industrial Classification (SIC) Code and Description									
Principal SIC Code &									
Description: 4932 Sewage System	15								
115 060-76 34314									
Other SIC Codes:									
Office STC Codes.									
III. FACILITY LOCATION									
A. Attach a U.S. Geological Survey 7 ½ minute quadrangle map for	the site. (See instructions)								
B. County where facility is located:	City where facility is located (if applicable):								
Borton	TARIS								
C. Body of water receiving discharge:									
D. Facility Site Latitude (degrees, minutes, seconds); Facility Site Longitude (degrees, minutes, seconds):									
38 13 25"	84 15 10								
E. Method used to obtain latitude & longitude (see instructions):	no mo								
	~[U 1 M]								
F. Facility Dun and Bradstreet Number (DUNS #) (if applicable):									

IV. OWNER/OPERATOR INFORMATI	ON		
A. Type of Ownership: A. Type of Ownership: Privately Ownership:	nd State Owned Roth	Public and Priva	ta Owned Federally owned
B. Operator Contact Information (See instr		1 done and 1 nva	ne Owned 🗀 Federally Owned
Name of Treatment Plant Operator:	Telep	hone Number:	-7 2./
Operator Mailing Address (Street):	ncy	251-4	87-2116
1 525 H	GH Street		
Operator Mailing Address (City, State, Zip Code):	nis Ku, 403	61	
Is the operator also the owner? Yes No 🗵	Is the Yes	operator certified? If	yes, list certification class and number below.
Certification Class:		ication Number:	6950
V. EXISTING ENVIRONMENTAL PER	MITS		·
Current NPDES Number:	Issue Date of Current Permit:		Expiration Date of Current Permit:
KY 0090654	JAN 31 - 2005		JAM, 31 - 2008
Number of Times Permit Reissued:	Date of Original Permit Issuance:		Sludge Disposal Permit Number:
] 3	9891-11-80		NA
Kentucky DOW Operational Permit #:	Kentucky DSMRE Permit Number	r(s):	//:
C. Which of the following additional environ	nmental permit/registration ca	ategories will also	apply to this facility?
CATEGORY	EXISTING PERMIT V	WITH NO.	PERMIT NEEDED WITH PLANNED APPLICATION DATE
Air Emission Source	↑\/ A		
Solid or Special Waste	H/A		
Hazardous Waste - Registration or Permit	H/A		
VI. DISCHARGE MONITORING REPO	DTC (DMD ₀)		
KPDES permit holders are required to sub	omit DMRs to the Division of es to specifically identify the	of Water on a reddepartment, office	egular schedule (as defined by the KPDES to or individual you designate as responsible
A. Name of department, office or official su	bmitting DMRs:	RICK A	rneu
B. Address where DMR forms are to be sent		,	
DMR Mailing Name:	CHyof Paris W	WTP	
DMR Mailing Street:	525 HIGH STRET		
DMR Mailing City, State, Zip Code:	Paris Kentucky	4036	.1
DMR Official Telephone Number:	859-987-2116	/ 0	

VII	A DDT	TCA	TION	FII	INC	TOTAL TO
V 11.	AFFL	лс.А	L I I I I	r		P P. P.

KPDES regulations require that a permit applicant pay an application filing fee equal to twenty percent of the permit base fee. Please examine the base and filing fees listed below and in the Form 1 instructions and enclose a check payable to "Kentucky State Treasurer" for the appropriate amount. Descriptions of the base fee amounts are given in the "General Instructions."


Facility Fee Category:	Filing Fee Enclosed:
T/VN V	NA

VIII. CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME AND OFFICIAL TITLE (type or print):	TELEPHONE NUMBER (area code and number):
SIGNATURE amu	DATE: 08/02/07

KPDES FORM A



KENTUCKY POLLUTANT DISCHARGE ELIMINATION SYSTEM

PERMIT APPLICATION

A complete application consists of this form and Form 1. For additional information, contact KPDES Branch (502) 564-3410.

	AGENCY					,	
APPLICATION OVERVIEW	USE						
TO A STATE OF THE	to respect the literature of the property of the contract of t	[14] S. J. S. A. A. S. J. S.	7 SYSSET, N. 1984, 11800 FR	Augment was the 1998	数,2位表现16位,但是 对	多于1871年的中期提出了	State of the factor of the fac

Form A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form A you must complete.

BASIC APPLICATION INFORMATION:

- A. Basic Application Information for all Applicants. All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd. All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification. All applicants must complete Part C (Certification).

SUPPLEMENTAL APPLICATION INFORMATION:

- D. Expanded Effluent Testing Data. A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data. A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes. A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
 - 1. All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
 - 2. Any other industrial user that:
 - Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
 - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
 - c. Is designated as an SIU by the control authority.
- G. Combined Sewer Systems. A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

ALL APPLICANTS MUST COMPLETE PART & (CERTIFICATION)

BASIC APPLICATION INFORMATION PART A. BASIC APPLICATION INFORMATION FOR ALL APPLICANTS: All treatment works must complete questions A.1 through A.8 of this Basic Application Information packet. A.1. Facility Information. Facility name Mailing Address Contact person Title Telephone number **Facility Address** (not P.O. Box) A.2. Applicant Information. If the applicant is different from the above, provide the following: Applicant name Mailing Address Contact person Title Telephone number is the applicant the owner or operator (or both) of the treatment works? (A) Operator Indicate whether correspondence regarding this permit should be directed to the facility or the applicant. Applicant Facility A.3. Existing Environmental Permits. Provide the permit number of any existing environmental permits that have been issued to the treatment works (include state-issued permits). **KPDES PSD** UIC Other **RCRA** Other A.4. Collection System Information. Provide information on municipalities and areas served by the facility. Provide the name and population of each entity and, if known, provide information on the type of collection system (combined vs. separate) and its ownership (municipal, private, etc.). **Population Served** Type of Collection System Ownership Total population served

A.5.	inc	dian Coun	try.												
	a.	Is the trea	atment wo	rks located	in India	n Count	try?								
			Yes		ZS.	No									
	b.		treatment Indian Cou		harge to	o a rece	iving wate	er that is either	in Indian Country	or that is u	pstre	am from	(and eve	entually	y flows
			Yes		X	No									
A. 6.	av	erage daily	flow rate a	and maxim	um daily	y flow ra	te for eac	h of the last th	water flow rate tha rree years. Each y ior to this applicat	year's data	must	uilt to ha be base	ndle). A d on a 12	lso pro 2-mon	ovide the th time period
	a.	Design fl	ow rate	27		mgd									
				•		1	ľwo Year	s Ago	Last Year			This Yea	ar _		
	b.	Annual a	verage dai	ly flow rate		_	1.15		<u> </u>		_	1.3	3		_ mgd
	c.	Maximun	n daily flow	rate			20	<u> </u>	2.901			2.87	LO		_ mgd
Δ7	Cc	allection S	vetom in	dicate the t	vne(e) c	of collec	tion evete	m/s) used by	the treatment plan	ıt Check a	ll that	annly A	Also estir	nate t	he percent
~···		ntribution (ype(s) c	on conec	uon syste	initial data by	une treatment plan	n. Oncor a	ii ura	. арріў.	1100 00111	mato ti	no porocin
		1 2 S∢	eparate sa	nitary sewe	r							١	00		%
			•	torm and sa		sewer					-				- %
											_				_
A.8.	Di	scharges	and Other	Disposal	Method	ls.									
	a.	Does the	treatment	works disc	harge e	ffluent t	o waters	of the U.S.?		J	×	Yes			No
		If yes, lis	t how man	y of each o	f the fol	lowing t	ypes of di	ischarge points	s the treatment wo	orks uses:				,	, 0
		i. Discharges of treated effluent											Yes-	outh	il of that
		ii. Discharges of untreated or partially treated effluent													
		iii. Com	bined sewe	er overflow	points										
		iv. Cons	tructed em	nergency o	verflows	s (prior t	o the hea	dworks)							
		v. Othe	r				·····								
	b.			works disc tlets for dis					er surface impound		_	Yes	,	Ø	No
		If yes, pr	ovide the fo	ollowing <u>for</u>	each s	urface ii	mpoundm	nent:							
		Location													
		Annual a	verage dai	ly volume o	lischarg	jed to su	urface imp	ooundment(s)		_ mgd					
		Is discha	rge 🗌	continu	ous or		intermitt	ent?							
	c.	Does the	treatment	works land	l-apply t	treated v	wastewate	er?		ı		Yes		X	No
		If yes, pr	ovide the fo	ollowing <u>for</u>	each la	and appl	lication si	<u>te</u> :						_	
		Location:								***				, —	
		Number	of acres:						- H						
		Annual a	verage dai	ly volume a	pplied 1	to site:			mgd						
		Is land a	oplication	☐ con	tinuous	or [] interm	nittent?							
	d.	Does the treatmen		works disc	harge o	or transp	ort treate	d or untreated	wastewater to and		_	Yes	,	X	No

ir transport is by a party	other than the	applicant, pro	ovide:						
Transporter name:									
Mailing Address:									
Contact person:			***			. 10-71-11-11-11			-11-1
Title:									
Telephone number:			:						
Name: Mailing Address:							· •		
-									
Contact person:						12			
Title:									
Telephone number:	-				·		· · · · · · · · · · · · · · · · · · ·		
If known, provide the K						harge.			
Provide the average da	ily flow rate from	m the treatme	nt works into	the receivin	g facility.			mgd	
Does the treatment wor A.8.a through A.8.d abo	rks discharge o ove (e.g., under	r dispose of it ground perco	s wastewater lation, well inj	in a manne jection)?	r not included	l in	Yes	Æ	No
If yes, provide the following for each disposal method:									
		on and size o	f site(s) if app	olicable):					

					GES	

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 once for each outfall (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

<u> </u>		水。一种大量,一种大量,一种大量的大量,不是一种大量的大量,不是一种大量的大量,不是一种大量的大量的大量的大量的大量的大量的大量的大量的大量的大量的大量的大 量的大
A.9.	De	scription of Outfall.
	a.	Outfall number OO I
	b.	Location
		(City or town, if applicable) (Zip Code)
		Brunen Carty
		(County) (State)
		38 13 25 84 15 10 (Latitude)
	_	
	C.	Distance from shore (if applicable)ft.
	d.	Depth below surface (if applicable) ft.
	_	Average daily flow rate 316 mgd
	e.	Average daily flow rate mgd
	f.	Does this outfall have either an intermittent or a
		periodic discharge? Yes No (go to A.9.g.)
		If yes, provide the following information:
		The state of the s
		Number of times per year discharge occurs:
		Average duration of each discharge:
		Average flow per discharge: mgd
		Months in which discharge occurs:
	g.	Is outfall equipped with a diffuser? Yes No
A. 10.	De	scription of Receiving Waters.
	a.	Name of receiving water CCK
	b.	Name of watershed (if known) Licking River Rain
		United States Soil Conservation Service 14-digit watershed code (if known):
		$1 \cdot \cdot \cdot \bigcirc $
	C.	Name of State Management/River Basin (if known): Licking 15 msin Ja H Licking 15 msin
		United States Geological Survey 8-digit hydrologic cataloging unit code (if known):
		Childe Called Coolegical California of algorithms and cooleging and cool
	d.	Critical low flow of receiving stream (if applicable):
		acute cfs chronic cfs
	e.	Total hardness of receiving stream at critical low flow (if applicable): mg/l of CaCO ₃

A.11. Description of Tr	eatment.	111							
a. What Jevels of	treatment ar	e provided? C	heek all that a	pply.					
☑ Prima		đ	Secondar						
☐ Adva	nced	Ε	Other.	Describe:					
b. Indicate the fo	llowing remo	val rates (as a	pplicable):						
Design BOD _e	removal <u>or</u> l	Design CBOD	₅ removal			45		%	
Design SS re	moval					88.	5	%	
Design P rem	noval					N/A		%	
Design N rem	ا خام noval	MNOHIA				93.	3	%	
Other						NA		%	· .
c. What type of d	isinfection is	used for the	effluent from th	is outfall? If disin	fection varies	s hy season in	lease des	oribo	
_	lonination				7000011 74110	o by season, p	case des	CHDE.	
If disinfection i	s by chlorina	tion, is dechlo	rination used f	or this outfall?		▼ Yes		No	
d. Does the treat	ment plant ha	ave post aerat	ion?			Yes		No	
minimum, effluen Outfall number: PARAN		ia must de ba	· · · · · · · · · · · · · · · · · · ·	st three samples 	and must b		an four a		
			Value	Units	v	/alue	Units	3.7. (1.7.) 3.7. (1.7.)	Number of Samples
pH (Minimum)			6.8	s.u.					
pH (Maximum)			7.8	s.u.	144-11	A Company			1200
Flow Rate			2.901	MGD	1.	315	Мбр		365
Temperature (Winter)			12	ەر					
Temperature (Summer)			26°C	ہ ر					
* For pH please rep POLLUTANT		MAXIMU	imum daily val JM DAILY HARGE		DAILY DIS	Y DISCHARGE		TICAL	ML/MDL
		Conc.	Units	Conc.	Units	Number of Samples	MET	HOD	
CONVENTIONAL AND N	ONCONVEN	TIONAL COM	IPOUNDS.	<u> </u>	1		<u> </u>		· · · · · · · · · · · · · · · · · · ·
BIOCHEMICAL OXYGEN	BOD-5	9	mg/2	3 5	mg/2	156	405.	1 EPA	
DEMAND (Report one)	CBOD-5	A							
FECAL COLIFORM		109		70		156	908	c 5f.	الملاء
TOTAL SUSPENDED SOL	DS (TSS)	11	mgle	6.5	mg/l	156	2540	d .st.	Was
REFER TO THE	APPLIC	ATION O	VERVIEV	ID OF PAR V TO DETE MUST COM	RMINE	WHICH O	THER	PAR	TS OF FORM A


ВА	SIC APPLICATION INFORMATION	
PAF	T B. ADDITIONAL APPLICATION INFORMATION FOR APPLICANTS WITH A DESIGN FLOW GREATER THAN OR EQUAL TO 0.1 MGD (100,000 gallons per day).	
All a	plicants with a design flow rate ≥ 0.1 mgd must answer questions B.1 through B.6. All others go to Part C (Certification).	
B.1.	Inflow and Infiltration. Estimate the average number of gallons per day that flow into the treatment works from inflow and/or infiltration. 200,000 gpd בידושאלהם ביים ביים ביים ביים ביים ביים ביים בי	
:	Briefly explain any steps underway or planned to minimize inflow and infiltration. FRATV SYSTEM AUG USE POINT REPAIR TO MINIMIZE T/I	
B.2.	Topographic Map. Attach to this application a topographic map of the area extending at least one mile beyond facility property boundaries. This map must show the outline of the facility and the following information. (You may submit more than one map if one map does not show the entire area.)	1e
	a. The area surrounding the treatment plant, including all unit processes.	
	b. The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures through which treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable.	
i	c. Each well where wastewater from the treatment plant is injected underground.	
	d. Wells, springs, other surface water bodies, and drinking water wells that are: 1) within 1/4 mile of the property boundaries of the treatment works, and 2) listed in public record or otherwise known to the applicant.	
	e. Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed.	
	f. If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RCRA) by truck rail, or special pipe, show on the map where that hazardous waste enters the treatment works and where it is treated, stored, and/or disposed.	,
B.3.	Process Flow Diagram or Schematic. Provide a diagram showing the processes of the treatment plant, including all bypass piping and all backup power sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfection (e.g, chlorination and dechlorination). The water balance must show daily average flow rates at influent and discharge points and approximate daily flow rates between treatment units. Include a brief narrative description of the diagram.	
B.4.	Operation/Maintenance Performed by Contractor(s).	
	Are any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the responsibility of a contractor?	
	If yes, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attach additional pages if necessary).	
	Name:	
	Mailing Address:	
	Telephone Number:	
	Responsibilities of Contractor:	
	Scheduled Improvements and Schedules of Implementation. Provide information on any uncompleted implementation schedule or uncompleted plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment works. If the reatment works has several different implementation schedules or is planning several improvements, submit separate responses to question B. or each. (If none, go to question B.6.)	.5
	List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule.	
	N/A	
	o. Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies. ☐ Yes ☑ No	
,	☐ Yes ☑ No	

applicable. For in	Provide dates imposed by any compliance schedule or any actual dates of completion for the implementation steps listed below, as applicable. For improvements planned independently of local, State, or Federal agencies, indicate planned or actual completion dates, a applicable. Indicate dates as accurately as possible.											
		Schedule	А	Actual Completion								
Implementation S	tage	MM / DD / `	YYYY M	M / DD / YYYY								
- Begin constructi	ion				•							
- End construction	n	·			•							
– Begin discharge)				_							
 Attain operation 	al level				•							
e. Have appropriate Describe briefly:	permits/clearanc	•	her Federal/Stat	•		Yes No						
	irge to waters of						المحمد الماسم م					
testing required by the sewer overflows in thi methods. In addition, standard methods for pollutant scans and m	e permitting auth s section. All inf this data must o analytes not ado nust be no more	ority <u>for each outf</u> ormation reported comply with QA/Q dressed by 40 CF than four and one	all through which I must be based C requirements R Part 136. At a Inhalf years old.	h effluent is disc I on data collect of 40 CFR Part a minimum, efflu	charged. Do no ed through anal 136 and other a uent testing data	t include information o ysis conducted using appropriate QA/QC re	40 CFR Part 136 quirements for					
testing required by the sewer overflows in thi methods. In addition, standard methods for pollutant scans and m	e permitting auth s section. All inf this data must of analytes not add oust be no more MAXIM DISC	ority for each outformation reported comply with QA/Q dressed by 40 CF than four and one UM DAILY HARGE	all through which in must be based C requirements R Part 136. At a right half years old. AVERAGE	h effluent is disc I on data collect of 40 CFR Part a minimum, efflu GE DAILY DISC	charged. Do no ed through anal 136 and other a uent testing data	t include information of ysis conducted using appropriate QA/QC re- a must be based on at	40 CFR Part 136 quirements for least three					
testing required by the sewer overflows in thi methods. In addition, standard methods for pollutant scans and m	e permitting auth s section. All inf this data must of analytes not add nust be no more	ority for each outformation reported comply with QA/Q dressed by 40 CF than four and one	all through which I must be based C requirements R Part 136. At a Inhalf years old.	h effluent is disc I on data collect of 40 CFR Part a minimum, efflu	charged. Do no ed through anal 136 and other a uent testing data	t include information o ysis conducted using appropriate QA/QC re	40 CFR Part 136 quirements for					
testing required by the sewer overflows in thi methods. In addition, standard methods for pollutant scans and m Outfall Number:	e permitting auth s section. All inf this data must c analytes not add nust be no more MAXIM DISC Conc.	ority for each outformation reported comply with QA/Q dressed by 40 CF than four and one UM DAILY HARGE Units	all through whice I must be based C requirements R Part 136. At a -half years old. AVERAG	h effluent is disc I on data collect of 40 CFR Part a minimum, efflu GE DAILY DISC	charged. Do no ed through anal 136 and other a uent testing data	t include information of ysis conducted using appropriate QA/QC re- a must be based on all ANALYTICAL	40 CFR Part 136 quirements for least three					
testing required by the sewer overflows in thi methods. In addition, standard methods for pollutant scans and m Outfall Number: OOLUTANT	e permitting auth s section. All inf this data must c analytes not add nust be no more MAXIM DISC Conc.	ority for each outformation reported comply with QA/Q dressed by 40 CF than four and one UM DAILY HARGE Units	all through whice I must be based C requirements R Part 136. At a -half years old. AVERAG Conc.	h effluent is disc I on data collect of 40 CFR Part a minimum, efflu GE DAILY DISC	charged. Do no ed through anal 136 and other a uent testing data CHARGE Number of Samples	t include information of ysis conducted using appropriate QA/QC re- a must be based on all ANALYTICAL	40 CFR Part 136 quirements for least three					
testing required by the sewer overflows in thi methods. In addition, standard methods for pollutant scans and m Outfall Number: OOLUTANT. CONVENTIONAL AND NON AMMONIA (as N)	maxim Disconce.	ority for each outformation reported comply with QA/Q dressed by 40 CF than four and one UM DAILY HARGE Units LOMPOUNDS	all through which I must be based C requirements R Part 136. At a-half years old. AVERAGE Conc.	h effluent is disc on data collect of 40 CFR Part a minimum, efflu GE DAILY DISC Units	charged. Do no ed through anal 136 and other a uent testing data SHARGE Number of Samples	t include information of ysis conducted using appropriate QA/QC re- a must be based on all ANALYTICAL METHOD	40 CFR Part 136 quirements for least three					
testing required by the sewer overflows in thi methods. In addition, standard methods for pollutant scans and m	e permitting auth s section. All inf this data must c analytes not add nust be no more MAXIM DISC Conc.	ority for each outformation reported comply with QA/Q dressed by 40 CF than four and one UM DAILY HARGE Units	all through whice I must be based C requirements R Part 136. At a -half years old. AVERAG Conc.	h effluent is disc I on data collect of 40 CFR Part a minimum, efflu GE DAILY DISC	charged. Do no ed through anal 136 and other a uent testing data CHARGE Number of Samples	t include information of ysis conducted using appropriate QA/QC re- a must be based on all ANALYTICAL	40 CFR Part 136 quirements for least three					
testing required by the sewer overflows in thi methods. In addition, standard methods for pollutant scans and m Outfall Number: OOLUTANT CONVENTIONAL AND NON AMMONIA (as N) CHLORINE (TOTAL RESIDUAL, TRC) DISSOLVED OXYGEN	maxim Disconce.	ority for each outformation reported comply with QA/Q dressed by 40 CF than four and one UM DAILY HARGE Units LOMPOUNDS	all through which I must be based C requirements R Part 136. At a-half years old. AVERAGE Conc.	h effluent is disc on data collect of 40 CFR Part a minimum, efflu GE DAILY DISC Units	charged. Do no ed through anal 136 and other a uent testing data SHARGE Number of Samples	t include information of ysis conducted using appropriate QA/QC re- a must be based on all ANALYTICAL METHOD	40 CFR Part 136 quirements for least three					
testing required by the sewer overflows in thi methods. In addition, standard methods for pollutant scans and m Outfall Number: OOLUTANT CONVENTIONAL AND NON AMMONIA (as N) CHLORINE (TOTAL RESIDUAL, TRC) DISSOLVED OXYGEN TOTAL KJELDAHL	e permitting auth s section. All inf this data must c analytes not addust be no more MAXIM DISC Conc. NCONVENTION 12	ority for each outformation reported comply with QA/Q dressed by 40 CF than four and one UM DAILY HARGE Units	all through whice I must be based C requirements R Part 136. At a -half years old. AVERAGE Conc.	h effluent is discipled to data collect of 40 CFR Part a minimum, effluent is discipled to data collect of 40 CFR Part a minimum, effluent is discipled to data a minimum, effluent is discipled to data and data	charged. Do no ed through anal 136 and other a uent testing data SHARGE Number of Samples 156 365	t include information of ysis conducted using appropriate QA/QC read must be based on all ANALYTICAL METHOD	40 CFR Part 136 quirements for least three					
testing required by the sewer overflows in thi methods. In addition, standard methods for pollutant scans and m Outfall Number: OOLUTANT CONVENTIONAL AND NON AMMONIA (as N) CHLORINE (TOTAL RESIDUAL, TRC) DISSOLVED OXYGEN TOTAL KJELDAHL NITROGEN (TKN) NITRATE PLUS NITRITE	maxim Disconce.	ority for each outformation reported comply with QA/Q dressed by 40 CF than four and one UM DAILY HARGE Units	all through which I must be based C requirements R Part 136. At a chalf years old. AVERAGE Conc. 1.19 19	h effluent is discipled to data collect of 40 CFR Part a minimum, effluent is discipled to data collect of 40 CFR Part a minimum, effluent is discipled to data a minimum, effluent is discipled to data and data	charged. Do no ed through anal 136 and other a uent testing data SHARGE Number of Samples 156 365	t include information of ysis conducted using appropriate QA/QC read must be based on all ANALYTICAL METHOD	40 CFR Part 136 quirements for least three					
testing required by the sewer overflows in thi methods. In addition, standard methods for pollutant scans and m Outfall Number: OOLUTANT CONVENTIONAL AND NON AMMONIA (as N) CHLORINE (TOTAL RESIDUAL, TRC) DISSOLVED OXYGEN TOTAL KJELDAHL NITROGEN (TKN) NITRATE PLUS NITRITE NITROGEN	PANDED TO SERVICE SERV	ority for each outformation reported comply with QA/Q dressed by 40 CF than four and one UM DAILY HARGE Units	all through whice I must be based C requirements R Part 136. At a -half years old. AVERAGE Conc. . 19 < . 0 \ 7 . 4 P/A	h effluent is discipled to data collect of 40 CFR Part a minimum, effluent is discipled to data collect of 40 CFR Part a minimum, effluent is discipled to data a minimum, effluent is discipled to data and data	charged. Do no ed through anal 136 and other a uent testing data SHARGE Number of Samples 156 365	t include information of ysis conducted using appropriate QA/QC read must be based on all ANALYTICAL METHOD	40 CFR Part 136 quirements for least three					
testing required by the sewer overflows in thi methods. In addition, standard methods for pollutant scans and m Outfall Number: OOI POLLUTANT CONVENTIONAL AND NON AMMONIA (as N) CHLORINE (TOTAL RESIDUAL, TRC) DISSOLVED OXYGEN TOTAL KJELDAHL NITROGEN (TKN) NITRATE PLUS NITRITE NITROGEN OIL and GREASE	MAXIM DISC Conc. MCONVENTION 12 P/A P/A	ority for each outformation reported comply with QA/Q tressed by 40 CF than four and one UM DAILY HARGE Units LOMPOUNDS LOMPOUNDS LONG LA LON	all through whice I must be based C requirements R Part 136. At a -half years old. AVERAC Conc. . 19 < . 01 7 . 4 P/A P/A	h effluent is discipled to data collect of 40 CFR Part a minimum, effluent is discipled to data collect of 40 CFR Part a minim	charged. Do no ed through anal 136 and other a uent testing data SHARGE Number of Samples 156 365	t include information of ysis conducted using appropriate QA/QC read must be based on all ANALYTICAL METHOD	40 CFR Part 136 quirements for least three					
testing required by the sewer overflows in thi methods. In addition, standard methods for pollutant scans and m Outfall Number: OOLUTANT CONVENTIONAL AND NON AMMONIA (as N) CHLORINE (TOTAL	Permitting authes section. All information this data must consider analytes not address to analytes not analyte not address no	ority for each outformation reported comply with QA/Q dressed by 40 CF than four and one UM DAILY HARGE Units	all through whice I must be based C requirements R Part 136. At a -half years old. AVERAGE Conc. I A I A I A I A I A I A I A I	h effluent is discipled to data collect of 40 CFR Part a minimum, effluent is discipled to data collect of 40 CFR Part a minimum, effluent is discipled to data a minimum, effluent is discipled to data and data	charged. Do no ed through anal 136 and other a uent testing data SHARGE Number of Samples 156 365	ANALYTICAL METHOD 4 500 CLg D. 6 Page 85	40 CFR Part 136 quirements for least three					


END OF PART B.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM

A YOU MUST COMPLETE



PARIS, Ky. CITY OF PARIS WASTEWATER TREATMENT PLANT KPDES # KY00090654 Discharge 001



, e., ...

BASIC APPLICATION INFORMATI	ON
PART C. CERTIFICATION	
applicants must complete all applicable sections of Fo	Refer to instructions to determine who is an officer for the purposes of this certification. All orm A, as explained in the Application Overview. Indicate below which parts of Form A you ertification statement, applicants confirm that they have reviewed Form A and have completed ication is submitted.
Indicate which parts of Form A you have com	pleted and are submitting:
☑ Basic Application Information packet	Supplemental Application Information packet:
	Part D (Expanded Effluent Testing Data)
	「Y Part E (Toxicity Testing: Biomonitoring Data)
	Part F (Industrial User Discharges and RCRA/CERCLA Wastes)
N/A	☐ Part G (Combined Sewer Systems)
ALL APPLICANTS MUST COMPLETE THE FOLLOW I certify under penalty of law that this document and a	WING CERTIFICATION. Il attachments were prepared under my direction or supervision in accordance with a system
designed to assure that qualified personnel properly g who manage the system or those persons directly res	lather and evaluate the information submitted. Based on my inquiry of the person or persons ponsible for gathering the information, the information is, to the best of my knowledge and there are significant penalties for submitting false information, including the possibility of fine
Name and official title	ey Superintendut
Signature Signature	
Telephone number <u>のらん こう・スッ</u>	16
Date signed — Fug. 3 H	2c×7′
Upon request of the permitting authority, you must su treatment works or identify appropriate permitting requ	bmit any other information necessary to assess wastewater treatment practices at the uirements.

SEND COMPLETED FORMS TO:

Division of Water, KPDES Branch Inventory & Data Management Section Frankfort Office Park 14 Reilly Road Frankfort, Kentucky 40601

For additional information call: (502) 564-2225, extension 465.

SUPPLEMENTAL APPLICATION INFORMATION

PART D. EXPANDED EFFLUENT TESTING DATA

Refer to the directions on the cover page to determine whether this section applies to the treatment works.

Effluent Testing: 1.0 mgd and Pretreatment Treatment Works. If the treatment works has a design flow greater than or equal to 1.0 mgd or it has (or is required to have) a pretreatment program, or is otherwise required by the permitting authority to provide the data, then provide effluent testing data for the following pollutants. Provide the indicated effluent testing information and any other information required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. In addition, these data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. Indicate in the blank rows provided below any data you may have on pollutants not specifically listed in this form. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall number: (Complete once for each outfall discharging effluent to waters of the United States.)

POLLUTANT		MIXAN	JM DAIL' HARGE				DAILY		ARGE		
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
METALS (TOTAL RECOVERABLE),	CYANIDE,	PHENO	S, AND I	IARDNE	SS.					Process Assembly Company	
ANTIMONY											
ARSENIC	4,001	mgle							1	EPA 206,2	
BERYLLIUM											
CADMIUM	<.0005	mg/2							r	EPA 213,2	
CHROMIUM , HELY.	<,01	mgle							1	EPA 218.5	
COPPER	٥١٥٠	my 10							1	EM 220,1	
LEAD	<,001	ngle							1	EPA 239.2	
MERCURY	.0001	myll							1	EPA 245.1	
NICKEL	.018	mg/Q							1	EPA 249.2	
SELENIUM	4,002	mg ll							1.	EPA 270.2	
SILVER	.204	mg le							ì	EPA 272.1	
THALLIUM											
ZINC	,053	mgll							L	EPA 289.1	
CYANIDE	<.01	ng/a							7	SM 4500-CN	G
TOTAL PHENOLIC COMPOUNDS											
HARDNESS (AS CaCO ₃)											
Use this space (or a separate sheet) to	provide in	formation	on other	metals re	quested by	the pern	nit writer.	············			
**************************************	ļ .				ļ						

									nited States	.)	
POLLUTANT	١	DISCI	JM DAIL' HARGE						ARGE	on the	
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
VOLATILE ORGANIC COMPOUNDS.	N,	/ A									
ACROLEIN											
ACRYLONITRILE											
BENZENE											
BROMOFORM											
CARBON TETRACHLORIDE											
CLOROBENZENE					·					•	
CHLORODIBROMO-METHANE									·		
CHLOROETHANE											
2-CHLORO-ETHYLVINYL ETHER		:									
CHLOROFORM											
DICHLOROBROMO-METHANE											
1,1-DICHLOROETHANE											
1,2-DICHLOROETHANE											
TRANS-1,2-DICHLORO-ETHYLENE		· · · · · · · · · · · · · · · · · · ·									
1,1-DICHLOROETHYLENE											
1,2-DICHLOROPROPANE											
1,3-DICHLORO-PROPYLENE											
ETHYLBENZENE											
METHYL BROMIDE	_										
METHYL CHLORIDE											
METHYLENE CHLORIDE											
1,1,2,2-TETRACHLORO-ETHANE											
TETRACHLORO-ETHYLENE											
TOLUENE											

Outfall number: (Cor	nplete or	nce for e	ach out	all disch	arging ef	fluent to	waters	of the U	nited States	5.)	
POLLUTANT		MIXAN	JM DAIL HARGE				DAILY				
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
1,1,1-TRICHLOROETHANE											
1,1,2-TRICHLOROETHANE											
TRICHLORETHYLENE											
VINYL CHLORIDE					***						
Use this space (or a separate sheet) to	provide inf	formation	on other	volatile or	ganic com	pounds r	equested	by the pe	ermit writer.		
ACID-EXTRACTABLE COMPOUNDS	1950	<u> </u>									
P-CHLORO-M-CRESOL											
2-CHLOROPHENOL											
2,4-DICHLOROPHENOL											3-11.
2,4-DIMETHYLPHENOL			-				-				
4,6-DINITRO-O-CRESOL									-4,		
2,4-DINITROPHENOL											
2-NITROPHENOL						-					
4-NITROPHENOL											
PENTACHLOROPHENOL											
PHENOL	<,095	mg C							1	EPA 420.1	
2,4,6-TRICHLOROPHENOL											
Use this space (or a separate sheet) to	provide inf	ormation	on other	acid-extra	ctable con	npounds	requested	by the p	ermit writer.		
BASE-NEUTRAL COMPOUNDS.	0/1								···· *····		-
ACENAPHTHENE	•										
ACENAPHTHYLENE											
ANTHRACENE											
BENZIDINE											
BENZO(A)ANTHRACENE											
BENZO(A)PYRENE				· · · · · · · · · · · · · · · · · · ·						·	

Outfall number: (Con	nplete on	MIXA	JM DAIL				waters DAILY					
	Conc.	DISCI Units	HARGE Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL ML/ MDL METHOD	ML/ MDL	
3,4 BENZO-FLUORANTHENE									•			
BENZO(GHI)PERYLENE		,										
BENZO(K)FLUORANTHENE			-									
BIS (2-CHLOROETHOXY) METHANE												
BIS (2-CHLOROETHYL)-ETHER										1111		
BIS (2-CHLOROISO-PROPYL) ETHER												
BIS (2-ETHYLHEXYL) PHTHALATE												
4-BROMOPHENYL PHENYL ETHER	·											
BUTYL BENZYL PHTHALATE												
2-CHLORONAPHTHALENE												
4-CHLORPHENYL PHENYL ETHER												
CHRYSENE												
DI-N-BUTYL PHTHALATE												
DI-N-OCTYL PHTHALATE												
DIBENZO(A,H) ANTHRACENE												
1,2-DICHLOROBENZENE												
1,3-DICHLOROBENZENE												
1,4-DICHLOROBENZENE												
3,3-DICHLOROBENZIDINE												
DIETHYL PHTHALATE												
DIMETHYL PHTHALATE												
2,4-DINITROTOLUENE												
2,6-DINITROTOLUENE												
1,2-DIPHENYLHYDRAZINE												

	nplete on	ice for e	ach outf	all disch	arging ef	fluent to	waters	of the U	nited States	.)	
POLLUTANT	٨		IM DAIL' KARGE	Y	A۱	/ERAGE	DAILY	DISCH	ARGE		
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
FLUORANTHENE											
FLUORENE											
HEXACHLOROBENZENE			,								
HEXACHLOROBUTADIENE		-									
HEXACHLOROCYCLO- PENTADIENE			-								
HEXACHLOROETHANE											
INDENO(1,2,3-CD)PYRENE											
ISOPHORONE											
NAPHTHALENE										The American American	
NITROBENZENE											
N-NITROSODI-N-PROPYLAMINE											
N-NITROSODI- METHYLAMINE											
N-NITROSODI-PHENYLAMINE		***************************************									
PHENANTHRENE								-	-		
PYRENE											
1,2,4-TRICHLOROBENZENE											
Use this space (or a separate sheet) to	provide inf	formation	on other	base-neu	tral compo	ounds req	uested by	the pern	nit writer.		
Use this space (or a separate sheet) to	provide in	ormation	on other	pollutants	(e.g., pes	ticides) re	equested	by the pe	rmit writer.		

END OF PART D.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM

A YOU MUST COMPLETE

SUPPLEMENTAL APPLICATION INFORMATION PART E. TOXICITY TESTING DATA POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgd; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters. At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results of a toxicity reduction evaluation, if one was conducted. If you have already submitted any of the information requested in Part E, you need not submit it again. Rather, provide the information requested in question E.4 for previously submitted information. If EPA methods were not used, report the reasons for using alternate methods. If test summaries are available that contain all of the information requested below, they may be submitted in place of Part E.

complete.	of complete Fait E. Itelef to the App		directions on win	
E.1. Required Tests.				
Indicate the number of whole e	ffluent toxicity tests conducted in the	past four and one-h	alf years.	
E.2. Individual Test Data. Complete the one column per test (where each sp	e following chart <u>for each whole efflu</u> ecies constitutes a test). Copy this p	ent toxicity test cond page if more than the	lucted in the last for	our and one-half years. Allow reported.
	Test number: 2/2/06	Test number:	J	Test number: 12/20/06
a. Test information.		6/16/06	9/22	
Test species & test method number	CERLODAPHULA	CERIO	Carro	Correduption
Age at initiation of test	< 24 hrs	<24 hm	< 24 hr.	< 24 hr.
Outfall number	01	01	01	01
Dates sample collected	1/23 - 28 /06	6/5-11/06	%1-16	12/3-8/06
Date test started	1/24	6/6	9/12	12/4
Duration	7 days	7 days	7 day 5	7 days
b. Give toxicity test methods follow				
Manual title	7 day STATE REMENT	7-day Chranc Stutic Ren.	T-cry Chronec STHIL ROD	1-try Cyronic Jinte Revenul
Edition number and year of publication				
Page number(s)				
c. Give the sample collection meth	nod(s) used. For multiple grab samp	les, indicate the nun	nber of grab sampl	les used.
24-Hour composite	Comp. I gallon	Comp. Lgs1	Comp. Lgal	Comp. I gai
Grab				
d. Indicate where the sample was	taken in relation to disinfection. (Che	eck all that apply for	each)	
Before disinfection				
After disinfection				
After dechlorination	V	~	~	~

		6/16/06	9/22/06	
· · · · · · · · · · · · · · · · · · ·	Test number: 2/2/06	Test number:		Test number: 12/20/d
e.' Describe the point in the treatr	ment process at which the sample wa	s collected.		
Sample was collected:	EFFLUANT	Errusi	Exercit	Excuent
f. For each test, include whether	the test was intended to assess chro	nic toxicity, acute to	cicity, or both.	
Chronic toxicity	V	~	1	V
Acute toxicity				
g. Provide the type of test perform	med.			
Static				
Static-renewal	V		7	✓ ·
Flow-through				
h. Source of dilution water. If lab	poratory water, specify type; if receiving	ng water, specify sou	ırce.	
Laboratory water	V	V	/	V
Receiving water				
i. Type of dilution water. If salt w	rater, specify "natural" or type of artific	cial sea salts or brine	e used.	
Fresh water		~	~	~
Salt water				
j. Give the percentage effluent us	sed for all concentrations in the test s	eries.		
	100	100	100/	100
1000 1000 1000 1000 1000 1000 1000 100				
k. Parameters measured during	the test. (State whether parameter me	eets test method spe	ecifications)	
PH	YES	les	Yes	Yes
Salinity Coperation	1/25	les	Yes	les
Temperature	YES	Ves	Yes	Leg
Ammonia			(C)	
Dissolved oxygen	VES	405	les	Yes
I. Test Results.				
Aouto: CHRONIC	APP VI Plant I de la companya de la			17
Percent survival in 100% effluent	100 %	100 %	% 95 AUG	100 %
LC ₅₀				
95% C.I.	%	%	%	%
Control percent survival	100 %	90-100 %	% 100	100 %
Other (describe) TU2	1.0	1.0	1.0	1.0

Chronic:	2/2/06	6/16/06	9/22/06	12/20/0b
NOEC	%	·	%	%
IC ₂₅	> 100 %	>100	% (00	> 100 %
Control percent survival	100 %	100	% 100	100 %
Other (describe) TU c	1.0	1.0	1.0	1.0
m. Quality Control/Quality Assurar	nce.			
Is reference toxicant data available?	YES NO	PYES □ NO	0 40 s	☑YES □ NO
Was reference toxicant test within acceptable bounds?	MYES □NO	ØYES □NO	vye,	PYÉS □ NO
What date was reference toxicant test run (MM/DD/YYYY)?	Corner Fousar EN	represent		- A FAIR
Other (describe)				
E.4. Summary of Submitted Biomonite cause of toxicity, within the past for summary of the results. Date submitted:	ur and one-half years, provide the da	ites the informatio	n was submitted to	the permitting authority and a
	END OF P	ART E.		
REFER TO THE APPLICA	그리아 요리는 말이 하기 때문을 살아 내려면 생각하는 경험이 사용되었다. 그림	그릇을 빠지는 가장이 된 점점을 취하였다.	WHICH OTH	ER PARTS OF FORM

A YOU MUST COMPLETE.

SUPPLEMENTAL APPLICATION INFORMATION PART F. INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must complete Part F. **GENERAL INFORMATION:** F.1. Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program? Yes Yes F.2. Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works. a. Number of non-categorical SIUs. Number of CIUs. SIGNIFICANT INDUSTRIAL USER INFORMATION: Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU. F.3. Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary. SEE ATTHCHMENTS Name: Mailing Address: F.4. Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge. F.5. Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge. Principal product(s): Raw material(s): F.6. Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. ☐ continuous or ☐ intermittent gpd Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. gpd continuous or intermittent F.7. Pretreatment Standards. Indicate whether the SIU is subject to the following: a. Local limits ☐ Yes ☐ No b. Categorical pretreatment standards ☐ Yes ☐ No If subject to categorical pretreatment standards, which category and subcategory?

SUPPLEMENTAL APPLICATION INFORMATION INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES PART F. All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must complete Part F. GENERAL INFORMATION: Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program? Yes Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works. Number of non-categorical SIUs. Number of ClUs. SIGNIFICANT INDUSTRIAL USER INFORMATION: Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU. F.3. Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary. Name: Mailing Address: Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge. F.4. Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge. Raw material(s): F.6. Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. continuous or intermittent 10,500 b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. 107000 continuous or intermittent gpd F.7. Pretreatment Standards. Indicate whether the SIU is subject to the following: a. Local limits Yes ☐ No Categorical pretreatment standards If subject to pategorical pretreatment standards, which category and subcategory?

SUPPLEMENTAL APPLICATION INFORMATION INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES PART F. All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must complete Part F. **GENERAL INFORMATION:** F.1. Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program? ✓ Yes F.2. Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works. Number of non-categorical SIUs. Number of CIUs. SIGNIFICANT INDUSTRIAL USER INFORMATION: Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU. F.3. Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary. Name: Mailing Address: dustrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge. Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge. Principal product(s): Raw material(s): F.6. Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. continuous or intermittent b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. ☐ continuous or ☐ intermittent 1045 gpd F.7. Pretreatment Standards. Indicate whether the SIU is subject to the following: Yes ☐ No a. Local limits ☐ Yes ØN₀ b. Categorical pretreatment standards If subject to categorical pretreatment standards, which category and subcategory?

SUF	PPLEMENTAL APPLICATION INFORMATION
PAR	
	eatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes complete Part F.
	ERAL INFORMATION:
	Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program? ✓ Yes □ No
F.2.	Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works.
	a. Number of non-categorical SIUs. 8
	b. Number of CIUs
SIGI	NIFICANT INDUSTRIAL USER INFORMATION:
	ly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 provide the information requested for each SIU.
F.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary. Name: Central Danutacturing Central Light Miley
	Mailing Address: 125 Wheat Drive
F.4. ₍	Houstrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge. Principal product(s): Steel and alumnum wheels
	Raw material(s): steel, alumnum, deaners, conditioners, phosphertes
F.6.	Flow Rate.
	a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. 84pp gpd Continuous or intermittent
	b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. 64,000 gpd Continuous or intermittent
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following: a. Local limits
	b. Categorical pretreatment standards No
	Metal finishing metal plating (coating + dectroplating)

SUPPLEMENTAL APPLICATION INFORMATION INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES PART F. All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must complete Part F. **GENERAL INFORMATION:** F.1. Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program? √Yes F.2. Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works. Number of non-categorical SIUs. Number of CIUs. SIGNIFICANT INDUSTRIAL USER INFORMATION: Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU. F.3. Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary. Name: Mailing Address: Industrial Processes. Describe all,of the industrial processes that affect or contribute to the SIU's discharge Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge. Principal product(s): Raw material(s): F.6. Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. continuous or intermittent b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. continuous or intermittent F.7. Pretreatment Standards. Indicate whether the SIU is subject to the following: PYes

Revised November 2003

a. Local limits

b. Categorical pretreatment standards

☐ Yes

If subject to categorical pretreatment standards, which category and subcategory?

SUPPLEMENTAL APPLICATION INFORMATION INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES PART F. All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must complete Part F. **GENERAL INFORMATION:** F.1. Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program? ✓ Yes F.2. Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works. Number of non-categorical SIUs. Number of ClUs. SIGNIFICANT INDUSTRIAL USER INFORMATION: Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU. F.3. Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary. Name: Mailing Address: F.4. Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge. F.5. Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge. Principal product(s): Raw material(s): F.6. Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. continuous or intermittent Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. ☐ continuous or ☐ intermittent

DEP 7032A 18 Revised November 2003

F.7. Pretreatment Standards. Indicate whether the SIU is subject to the following:

If subject to categorical pretreatment standards, which category and subcategory?

a. Local limits

b. Categorical pretreatment standards

Yes No

Ø N₀

☐ Yes

SUPPLEMENTAL APPLICATION INFORMATION

PART F. INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES
All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must complete Part F.
GENERAL INFORMATION:
F.1. Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program?
✓ Yes □ No
F.2. Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following type of industrial users that discharge to the treatment works.
a. Number of non-categorical SIUs
SIGNIFICANT INDUSTRIAL USER INFORMATION:
Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU.
F.3. Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
Name: Bourbon County Detention Center
Mailing Address: 101 Legion Drive
F.4. Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
F.5. Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
Principal product(s):
Raw material(s):
F.6. Flow Rate.
a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
57000 gpd continuous or intermittent
b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
5000 gpd ☑ continuous or ☐ intermittent
F.7. Pretreatment Standards. Indicate whether the SIU is subject to the following:
a. Local limits
b. Categorical pretreatment standards
If subject to categorical pretreatment standards, which category and subcategory?

SUPPLEMENTAL APPLICATION INFORMATION INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES PART F. All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must complete Part F. **GENERAL INFORMATION:** F.1. Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program? F.2. Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works. a. Number of non-categorical SIUs. Number of CIUs. SIGNIFICANT INDUSTRIAL USER INFORMATION: Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU. F.3. Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary. Name: Mailing Address: F.4. Industrial Processes. Describe all of the industrial processes that affect of contribute to the SIU's discharge. F.5. Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge. Principal product(s) Raw material(s): F.6. Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. continuous or 🗘 gpd intermittent b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. continuous or intermittent gpd F.7. Pretreatment Standards. Indicate whether the SIU is subject to the following: a. Local limits b. Categorical pretreatment standards **□**140 ☐ Yes If subject to categorical pretreatment standards, which category and subcategory?

SUPPLEMENTAL APPLICATION INFORMATION INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES PART F. All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must complete Part F. **GENERAL INFORMATION:** F.1. Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program? Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works. a. Number of non-categorical SIUs. Number of CIUs. SIGNIFICANT INDUSTRIAL USER INFORMATION: Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU. F.3. Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary. Name: Mailing Address: F.4. Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge. F.5. Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge. Principal product(s): deach, mnera Raw material(s): F.6. Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. continuous or gpd intermittent b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. continuous or intermittent 1100 gpd F.7. Pretreatment Standards. Indicate whether the SIU is subject to the following: ΠNo a. Local limits

Revised November 2003

Categorical pretreatment standards

☐ Yes

If subject to categorical pretreatment standards, which category and subcategory?

1400

SUPPLEMENTAL APPLICATION INFORMATION INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES PART F. All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must complete Part F. **GENERAL INFORMATION:** F.1. Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program? Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works. a. Number of non-categorical SIUs. Number of ClUs. SIGNIFICANT INDUSTRIAL USER INFORMATION: Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU. F.3. Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary. Name: Mailing Address: F.4. Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge. F.5. Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge. Principal product(s): Raw material(s): Flow Rate. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. continuous or intermittent gpd b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. continuous or intermittent F.7. Pretreatment Standards. Indicate whether the SIU is subject to the following:

DEP 7032A 18 Revised November 2003

Yes

☐ Yes

If subject to categorical pretreatment standards, which category and subcategory?

a. Local limits

b. Categorical pretreatment standards

□ No

SUPP	PLEMENTAL APPLICATION INFORMATION
PART I	F. INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES
•	ment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes
	mplete Part F.
GENE	RAL INFORMATION:
F.1. Pre	etreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program?
2	Yes 🗆 No
F.2. N t of	umber of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types industrial users that discharge to the treatment works.
a.	Number of non-categorical SIUs.
	Number of CIUs
SIGNIF	FICANT INDUSTRIAL USER INFORMATION:
	the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 ovide the information requested for each SIU.
	gnificant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional
•	ages as necessary. TTT Rayload
INC	
M	lailing Address: 105 Windrester Road
F.4. In	ndustrial Processes. Deestibe all of the industrial processes that affect or contribute to the SIU's discharge.
F.4. III	Leaning of team engines and cars (outsides only)
E	ACCULATION OF THE CANOLINES CONTO CONTO CONTO
	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's ischarge.
	rincipal product(s):
	- 1717 A
R	law material(s):
F.6. F	flow Rate.
r.v. r	TOW NAIE.
a.	. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	\$200 gpd continuous or intermittent
	gpo E commodus di E intermitation
b.	Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	5700 gpd 🖾 continuous or 🔲 intermittent
F.7. Pr	retreatment Standards. Indicate whether the SIU is subject to the following:
a.	. Local limits
	. Categorical pretreatment standards ☐ Yes ☐ ₩6
lf	subject to categorical pretreatment standards, which category and subcategory?

SUP	SUPPLEMENTAL APPLICATION INFORMATION					
	T F. INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES atment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes complete Part F.					
GEN	ERAL INFORMATION:					
	Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program? Yes No					
	Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works.					
	a. Number of non-categorical SIUs. S					
SIGN	NIFICANT INDUSTRIAL USER INFORMATION:					
	ly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 provide the information requested for each SIU.					
	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary. Name:					
	Mailing Address: 9 LINVILLE Drive					
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.					
	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge. Principal product(s):					
	Raw material(s):					
F.6.	Flow Rate.					
	a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. **Tobas* gpd** Continuous or intermittent**					
	b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection					
	system in gallons per day (gpd) and whether the discharge is continuous or intermittent.					
F.7. I	Pretreatment Standards. Indicate whether the SIU is subject to the following:					
	a. Local limits					
	b. Categorical pretreatment standards					
	If subject to categorical pretreatment standards, which category and subcategory?					

SUPPLEMENTAL APPLICATION INFORMATION INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES PART F. All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must complete Part F. **GENERAL INFORMATION:** F.1. Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program? Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works. Number of non-categorical SIUs. Number of CIUs SIGNIFICANT INDUSTRIAL USER INFORMATION: Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU. F.3. Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary. Name: Mailing Address: Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge. F.5. Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge. Principal product(s): Raw material(s): F.6. Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. continuous or intermittent b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. 5600 Continuous or I intermittent apd

DEP 7032A 18 Revised November 2003

F.7. Pretreatment Standards. Indicate whether the SIU is subject to the following:

If subject to categorical pretreatment standards, which category and subcategory?

a. Local limits

b. Categorical pretreatment standards

Yes No

☐ Yes

D/No

SUPPLEMENTAL APPLICATION INFORMATION					
PAF	t C	G. COMBINED	SEWER SYSTEMS N/A		
If the	trea	atment works has	a combined sewer system, complete Part G		
G.1.	Sys	tem Map. Provide	e a map indicating the following: (may be include	ed with Basic Application	information)
	a.	All CSO discharge	e points.		
	b.		as potentially affected by CSOs (e.g., beaches, natural resource waters).	drinking water supplies, s	hellfish beds, sensitive aquatic ecosystems,
	c.		ort threatened and endangered species potentia	lly affected by CSOs.	
G.2.	6.2. System Diagram. Provide a diagram, either in the map provided in G.1. or on a separate drawing, of the combined sewer collection system that includes the following information:				
	a.	Locations of majo	or sewer trunk lines, both combined and separate	e sanitary.	
	b.	Locations of point	ts where separate sanitary sewers feed into the	combined sewer system.	
	c.	Locations of in-lin	e and off-line storage structures.		
	d.	Locations of flow-	regulating devices.		
	e.	Locations of pump	p stations.		
csc	OL	JTFALLS:			Arting process of the Arting States of the Arting S
Com	plet	e questions G.3 t	hrough G.6 once <u>for each CSO discharge po</u>	int.	
G.3.	Des	cription of Outfal	l.		
	a.	Outfall number	N/A		
	b.	Location	·		
		·	(City or town, if applicable)	(Zip Code)	
			(County)	(State)	
			(Latitude)	(Longitude)	
	c.	Distance from she			
	d.		ace (if applicable) ft.		
	e.	Which of the follo	wing were monitored during the last year for this	SCSO?	
		Rainfall	CSO pollutant concentrations	CSO frequency	
		CSO flow volu	me Receiving water quality		
	f.	How many storm	events were monitored during the last year?		
G.4.	csc) Events.			
	a.	Give the number	of CSO events in the last year.		
		events (actual or 🔲 approx.)		
	b.	Give the average	duration per CSO event.		
		hours (\Box	actual or ☐ approx.)		

DEP 7032A 20 Revised November 2003


	☐ Yes	i □ No	If yes, describe	e each episode	э.		
							· · · · · · · · · · · · · · · · · · ·
R	A HAZ	ARDOUS WAS	STE RECEIVED B	Y TRUCK. R	RAIL, OR DEDICATED PIP	ELINE:	
		Waste. Does the					us waste by truck, rail, or dedica
).	Waste	Transport. Met	hod by which RCRA	waste is rece	ived (check all that apply):		
	☐ Truc	ck 🗆 R	tail Dedica	ated Pipe			
1.				waste number	and amount (volume or mass	, specify units).	
	<u>EPA I</u>	Hazardous Wast	e Number	····	Amount		<u>Units</u>
_							
_		·. ·					
R	CLA (S	SUPERFUND) \	WASTEWATER, F	RCRA REME	DIATION/CORRECTIVE	State of File (Sec.)	
ı							
				MEDIAL ACT	TIVITY WASTEWATER:		
	Remed	diation Waste.〔	Does the treatment v	MEDIAL ACT	TIVITY WASTEWATER: (or has it been notified that it	will) receive waste	e from remedial activities?
	Remed	diation Waste. I	Does the treatment v 3 through F.15.)	WEDIAL ACT	TIVITY WASTEWATER: (or has it been notified that it □ No	·	e from remedial activities?
	Remed	diation Waste. I	Does the treatment v 3 through F.15.)	WEDIAL ACT	TIVITY WASTEWATER: (or has it been notified that it	·	e from remedial activities?
12.	Remed Yes Provid	diation Waste. Its (complete F.13 le a list of sites and	Does the treatment v B through F.15.) Ind the requested info	works currently	TIVITY WASTEWATER: (or has it been notified that it □ No	future site.	
12.	Remed Yes Provid	diation Waste. It is (complete F.13	Does the treatment v B through F.15.) Ind the requested info	works currently	rivity wastewater: y (or has it been notified that it □ No 3 - F.15.) for each current and the	future site.	
12.	Remed Yes Provid	diation Waste. Its (complete F.13 le a list of sites and	Does the treatment v B through F.15.) Ind the requested info	works currently	rivity wastewater: y (or has it been notified that it □ No 3 - F.15.) for each current and the	future site.	
12.	Remed Yes Provid	diation Waste. Its (complete F.13 le a list of sites and	Does the treatment v B through F.15.) Ind the requested info	works currently	rivity wastewater: y (or has it been notified that it □ No 3 - F.15.) for each current and the	future site.	
12.	Remedia Provid Waste original	diation Waste. It is (complete F.13 le a list of sites and Origin. Describte in the next five	Does the treatment v 3 through F.15.) and the requested info be the site and type of years).	MEDIAL ACTIVORES CURRENTS MEDIAL ACTIVITIES MEDIA	IVITY WASTEWATER: (or has it been notified that it √No 3 - F.15.) for each current and the CERCLA/RCRA/or other.	future site. er remedial waste	originates (or is expected to
12.	Remedium Yes Provid Waste original	diation Waste. It is (complete F.13 le a list of sites and Origin. Describte in the next five	Does the treatment v 3 through F.15.) and the requested info be the site and type of years).	works currently commation (F.13 of facility at wh	IVITY WASTEWATER: (or has it been notified that it √No 3 - F.15.) for each current and the CERCLA/RCRA/or other.	future site. er remedial waste	
12.	Remedium Yes Provid Waste original	diation Waste. It is (complete F.13 le a list of sites and Origin. Describte in the next five	Does the treatment v through F.15.) and the requested informe the site and type of years).	works currently commation (F.13 of facility at wh	IVITY WASTEWATER: (or has it been notified that it √No 3 - F.15.) for each current and the CERCLA/RCRA/or other.	future site. er remedial waste	originates (or is expected to
12.	Remedium Yes Provid Waste original	diation Waste. It is (complete F.13 le a list of sites and Origin. Describte in the next five	Does the treatment v through F.15.) and the requested informe the site and type of years).	works currently commation (F.13 of facility at wh	IVITY WASTEWATER: (or has it been notified that it √No 3 - F.15.) for each current and the CERCLA/RCRA/or other.	future site. er remedial waste	originates (or is expected to
12.	Polluta known.	diation Waste. It is (complete F.13 le a list of sites and Origin. Describte in the next five	Does the treatment v through F.15.) and the requested informe the site and type of years).	works currently commation (F.13 of facility at wh	IVITY WASTEWATER: (or has it been notified that it √No 3 - F.15.) for each current and the CERCLA/RCRA/or other.	future site. er remedial waste	originates (or is expected to
13.	Pollutaknown.	diation Waste. It is (complete F.13 le a list of sites and Origin. Describte in the next five ants. List the hat (Attach addition). Treatment.	Does the treatment v through F.15.) and the requested informethe site and type of years). Zardous constituents all sheets if necessar	works currently commation (F.13 of facility at wheelers that are recently).	IVITY WASTEWATER: (or has it been notified that it √No 3 - F.15.) for each current and the CERCLA/RCRA/or other.	future site. er remedial waste	originates (or is expected to
13.	Polluta known. Waste a. Is t	diation Waste. It is (complete F.13 le a list of sites and Program. Describte in the next five ants. List the hat (Attach addition of Treatment. This waste treated Yes \square No	Does the treatment v through F.15.) and the requested informethe site and type of years). Zardous constituents all sheets if necessary	works currently ormation (F.13 of facility at what are recently ormation).	rivitry wastewater: (or has it been notified that it (or has it been not	future site. er remedial waste	originates (or is expected to
12.	Polluta known. Waste a. Is t	diation Waste. It is (complete F.13 le a list of sites and Program. Describte in the next five ants. List the hat (Attach addition of Treatment. This waste treated Yes \square No	Does the treatment v through F.15.) and the requested informethe site and type of years). Zardous constituents all sheets if necessary	works currently ormation (F.13 of facility at what are recently ormation).	rivitry wastewater: y (or has it been notified that it iv (or has it been notified	future site. er remedial waste	originates (or is expected to
13.	Polluta known. Waste a. Is t	ants. List the ha. (Attach addition Treatment. this waste treated Yes	Does the treatment v the through F.15.) and the requested informethe site and type of years). Zardous constituents and sheets if necessary d (or will it be treated treatment (provide in	works currently ormation (F.13 of facility at who is that are receive).	rivitry wastewater: y (or has it been notified that it has it be	future site. er remedial waste	originates (or is expected to
2.	Polluta known. Waste a. Is t	ants. List the ha. (Attach addition Treatment. this waste treated Yes	Does the treatment v through F.15.) and the requested informethe site and type of years). Zardous constituents all sheets if necessary	works currently ormation (F.13 of facility at what are recently).	rivitry wastewater: y (or has it been notified that it has it be	future site. er remedial waste	originates (or is expected to

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM A YOU MUST COMPLETE

	c.	Give the average volume per CSO event.
		million gallons (actual or approx.)
	d.	Give the minimum rainfall that caused a CSO event in the last year.
		inches of rainfall
G.5.	Des	cription of Receiving Waters.
	a.	Name of receiving water:
	b.	Name of watershed/river/stream system:
		United States Soil Conservation Service 14-digit watershed code (if known):
	c.	Name of State Management/River Basin:
		United States Geological Survey 8-digit hydrologic cataloging unit code (if known):
G.6.	csc	O Operations.
	per	scribe any known water quality impacts on the receiving water caused by this CSO (e.g., permanent or intermittent beach closings, manent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water ality standard).
	_	
PF	FF	END OF PART G. R TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM

A YOU MUST COMPLETE.

Additional information, if provided, will appear on the following pages.



525 HIGH STREET PARIS, KENTUCKY 40361

"THOROUGHBRED CAPITAL OF THE WORLD"

PHONE (859) 987-2110 FAX (859) 987-4640 TDD (859) 987-2100

RE: KPDES No. KY0090654

Paris Wastewater Treatment Plant Bourbon County, Kentucky

From: Patrick Harney

Superintendent WWTP City of Paris, Kentucky

TO: Vickie L Prather
Inventory and Data Management Section

Submittal of our 2008 permit application



ERNIE FLETCHER
GOVERNOR

ENVIRONMENTAL AND PUBLIC PROTECTION CABINET

TERESA J. HILL SECRETARY

DEPARTMENT FOR ENVIRONMENTAL PROTECTION
DIVISION OF WATER
14 REILLY ROAD
FRANKFORT, KENTUCKY 40601-1190
www.kentucky.gov

August 16, 2007

Mr. Patrick Harney City of Paris 525 High Street Paris, Kentucky 40361

Re:

Complete KPDES Permit Application

KPDES No.: KY0090654

Paris WWTP

Bourbon County, Kentucky

Dear Mr. Harney:

Your Kentucky Pollutant Discharge Elimination System (KPDES) permit application for the above-referenced facility was received by the Division of Water on «Date_Received», and has been determined complete. As per 401 KAR 5:075, Section 1(7), the official effective date of your application has been determined as August 13, 2004, the date of this notice.

If this application is for new construction, appropriate plans and specifications must be submitted and a construction permit issued before construction may begin. For new facilities, the review of this application may be coordinated in accordance with 401 KAR 5:300, Section 4(1).

A technical review of your permit application will commence in the near future. Please be aware that you may be asked to provide additional information to clarify, modify, or supplement your application material.

If you have any questions concerning this matter, please contact Barry Elmore at (502) 564-8158, extension 459.

Sincerely,

Nancy Green, Program Coordinator

Inventory and Data Management Section KPDES Branch

Division of Water

NG:ng

c: Division of Water Files





ERNIE FLETCHER
GOVERNOR

ENVIRONMENTAL AND PUBLIC PROTECTION CABINET

TERESA J. HILL SECRETARY

DEPARTMENT FOR ENVIRONMENTAL PROTECTION
DIVISION OF WATER
14 REILLY ROAD
FRANKFORT, KENTUCKY 40601
www.kentucky.gov

June 25, 2007

Mr. Robert Casher City of Paris 525 High Street Paris, Kentucky 40361

RE: KPDES No. KY0090654
Paris Wastewater Treatment Plant
Bourbon County, Kentucky

Dear Mr. Casher:

Our records indicate that your Kentucky Pollutant Discharge Elimination System (KPDES) permit is due to expire on January 31, 2008. According to the KPDES Regulation 401 KAR 5:060, "any person with a currently effective permit shall submit a new application at least 180 days before the expiration of the existing permit..." The due date for your permit renewal application is August 5, 2007.

Please complete the enclosed application forms and return to the KPDES Branch, Division of Water, at the above address by the indicated due date. Applications received after the due date are in violation of 401 KAR 5:060, Section 1, which could result in enforcement action being taken.

If you have any questions regarding the completion of these forms, please contact me at (502) 564-8158, extension 470, or Ann Workman at extension 528.

Sincerely,

Vickie L. Prather, Acting Supervisor Inventory and Data Management Section

KPDES Branch
Division of Water

VLP:ASW:asw

Enclosures

C: Frankfort Regional Office Division of Water Files

